


To: Saari, Christopher A - DNR
(Christopher.Saari@Wisconsin.gov)[Christopher.Saari@Wisconsin.gov]; Egan,
Robert[egan.robert@epa.gov]; KHanson@ldftribe.com[KHanson@ldftribe.com]; mfaust@bristol-
companies.com[mfaust@bristol-companies.com]
From: Dave Larsen
Sent: Fri 9/9/2016 4:56:07 PM
Subject: FW: 16.203167835 REI - MiHPT - Tower Standard- Lac Du Flambeau, WI




Please direct any questions to Brad so he can customize webinar to our concerns.

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

From: Brad Carlson [mailto:wcarlson@cascade-env.com]
Sent: Friday, September 09, 2016 11:54 AM
To: Dave Larsen <dlarsen@reiengineering.com>

Cc: Charles Terry <cterry@cascade-env.com>; William McAllister <wmcallister@cascade-env.com>

Subject: 16.203167835 REI - MiHPT - Tower Standard- Lac Du Flambeau, WI

Hi Dave,

Hope you having a great Friday. Please call me when you get a free moment to discuss the questions you have.

I can be reached anytime at 813 -731-5916.

Brad

Please note my new email address



BRAD CARLSON EAST HRSC MANAGER

CASCADE | 1020 SOUTH 82nd STREET, TAMPA FL, 33619

C (813) 731-5916 | wcarlson@cascade-env.com

EXCELLENCE ON EVERY LEVEL™ www.cascade-env.com



Please consider the environment before printing this e-mail

This communication, including any attachments, is for the exclusive use of the addressee and may contain proprietary, confidential and/or privileged information and is protected by the Electronic Communications Privacy Act, 18 U.S.C. 2510-2521. If you are not the intended recipient, any use, copying, disclosure, dissemination or distribution is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, delete this communication and destroy all copies.